



YARRABEE & CASTLEMAINE STONE

GRANITE SPECIFICATION

2021



Yarrabee & Castlemaine Stone

WHEN EXPERIENCE MATTERS

“Yarrabee Slate”, open as a family owned and operated business in 1978. At that time, indoor slate floors were very popular. Slate was sourced from India and Africa and accounted for more than 95% of our business.

As the Melbourne landscape industry developed and flourished, products better suited to outdoor applications were added. This began with Sandstone and now incorporates a vast range of beautiful natural stone from Italy, Greece, China, Spain, India, Egypt, Cambodia and Oman.

In 1953, a vein of a very beautiful and unique stone was found in the hills not far from Castlemaine, and the Castlemaine Slate and Stone Quarry was created.

In 2005, Yarrabee Slate acquired the quarry and Yarrabee & Castlemaine Stone Solutions was born. Today it is one of Australia’s most iconic natural stone products.

At Yarrabee, we are dedicated to ensuring our customers and partners are successful through a strong focus on our 5 “etched in stone” principals:

- Provide the best purchasing experience possible
- Delivering the best possible project outcome
- Supplying only quality products
- Always provide accurate and truthful information
- Provide an outstanding level of service and care

OVERVIEW

Granite is a particularly durable form of natural stone and is mined in many countries across the world.

Yarrabee's granite range comprises paving tiles, step treads and pool coping. All tile are standard in a 20mm thickness with copers at a 30mm thickness.

As with all Yarrabee drop faced copers, they are cut from a solid piece of stone - there is **NO** mitring and gluing as we believe that the permanence of the adhesion cannot be guaranteed.

All our granites have been "flamed" where the surface of the stone has been blasted with extreme heat causing miniature air pockets within the surface of the stone to expand and explode.

The result is a very attractive and consistent surface appearance and most importantly great slip resistance.

That together with its ability to handle salt makes Granite an ideal choice for pool coping and surrounding paving.



Profile	Size
Tile	600 x 300 x 20 mm
Tile	600 x 600 x 20 mm
Tile	800 x 400 x 20 mm
Tile	1000 x 500 x 20 mm
Dropface Coper	600 x 350 x 30/70 mm
Dropface Coper	800 x 400 x 30/70 mm
Square Edge Coper	600 x 350 x 30 mm
Square Edge Coper	800 x 400 x 30 mm

Slip Rating: P5
Salt Suitable: Yes

Ash Granite is the lightest of our granite range. A soft grey/white background is speckled with black to present a beautiful tone.

Ash grey granite pavers have been tested for salt tolerance and are suitable for use where salt chlorination systems are used. It can also be used to form an attractive wall cladding.

Additional and custom sizes are available upon request.

All Ash granite tiles and copers have a flamed finish. All dropface copers are a 30mm tile with a 70mm drop.



FANTASY

Fantasy granite is light grey with more natural character (veins etc) than our other varieties. Fine darker veins and splashes of white give this stone real interest.

Fantasy granite pavers have been tested for salt tolerance and are suitable for use where salt chlorination systems are used. It can also be used to form an attractive wall cladding.

Additional and custom sizes are available upon request.

All Fantasy granite tiles and copers have a flamed finish. All dropface copers are a 30mm tile with a 70mm drop.

Profile

Size

Tile	600 x 300 x 20 mm
Tile	600 x 600 x 20 mm
Tile	800 x 400 x 20 mm
Tile	1000 x 500 x 20 mm
Dropface Coper	600 x 350 x 30/70 mm
Dropface Coper	800 x 400 x 30/70 mm
Square Edge Coper	600 x 350 x 30 mm
Square Edge Coper	800 x 400 x 30 mm

Slip Rating: P5

Salt Suitable: Yes



STORM

Profile	Size
Tile	600 x 300 x 20 mm
Tile	600 x 600 x 20 mm
Tile	800 x 400 x 20 mm
Tile	1000 x 500 x 20 mm
Dropface Coper	600 x 350 x 30/70 mm
Dropface Coper	800 x 400 x 30/70 mm
Square Edge Coper	600 x 350 x 30 mm
Square Edge Coper	800 x 400 x 30 mm

Slip Rating: P5
Salt Suitable: Yes

Storm granite is the second darkest of our grey flamed granites. It has a mid-grey tone.

Storm granite pavers have been tested for salt tolerance and are suitable for use where salt chlorination systems are used. It can also be used to form an attractive wall cladding.

Additional and custom sizes are available upon request.

All Storm granite tiles and copers have a flamed finish. All dropface copers are a 30mm tile with a 70mm drop.



GRAPHITE

Graphite is our darkest granite in a dark charcoal tone. Due to its darker colour, Graphite works well for driveway applications - often hiding tyre marks seen on lighter colour driveways.

Graphite granite pavers have also been tested for salt tolerance and are suitable for use where salt chlorination systems are used. It can also be used to form an attractive wall cladding.

Additional and custom sizes are available upon request.

All Graphite granite tiles and copers have a flamed finish. All dropface copers are a 30mm tile with a 70mm drop.

Profile

Size

Tile	600 x 300 x 20 mm
Tile	600 x 600 x 20 mm
Tile	800 x 400 x 20 mm
Tile	1000 x 500 x 20 mm
Dropface Coper	600 x 350 x 30/70 mm
Dropface Coper	800 x 400 x 30/70 mm
Square Edge Coper	600 x 350 x 30 mm
Square Edge Coper	800 x 400 x 30 mm

Slip Rating: P5

Salt Suitable: Yes



YARRABEE
& CASTLEMAINE

1696 Dandenong Road
Oakleigh East 3166
Victoria Australia

03 9535 1500
sales@yarrabee.com.au

www.yarrabee.com.au